

Fork Slot Truss Jib

Fork Slot Truss Jib - Jib accessories are made to be able to be utilized on rough terrain straight-mast forklifts, industrial forklifts, or on extendable-reach lift trucks. Forklift jib cranes fit onto the forklift by means of inserting both forks into the fork pockets. The rear of the jib crane then seats against the back of the fork and a security chain wraps the forklift carriage to hold it into place.

Load Capacity for the Jib Boom Forklift Attachment

The load capacity of a forklift jib has a most of about 1935 pounds to as much as 6000 pounds on either the extended or retracted positions range. You may have to discuss with a material handling specialist concerning the specific restrictions of your forklift application. The load capacity ratings are really intended for the jib itself and not the forklift or the maximum load that could be handled securely using a particular lift truck. It is essential to bear in mind that whenever whatever accessories like for example a lift truck jib are connected to the lift truck, the new center of gravity made by the attachment would decrease the general lift capacity of the forklift. There are guidelines accessible which provide details on how to correctly calculate these load limits.

Before utilizing a lift truck jib, ensure that it is correctly secured to the forklift with shackles and hooks. Always be sure in order to verify that the screw pins are tight. It is vital to even double check that the weight calculations have been done properly. Bear in mind to take into account the truth that rated capacities sometimes decrease whenever the boom is in an elevated position, each time the boom is fully extended with telehandlers or every time the mast is slanted frontward.